

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method of providing a sub-page of a website to a requesting client comprising the steps of:
- (a) sending to the client, with a copy of a first web page, a plurality of links each of which points to an address within the Internet of a server on which a copy of the sub-page is hosted;
 - (b) actuating one of the links;
- (c) determining, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
 - (d) if not, actuating another of the links; and

repeating steps (c) and (d) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;

wherein the links are actuated in a predetermined order established prior to dispatch to the client.

- 2. (Cancelled).
- 3. (Original) A method according to claim 1 further comprising the step of displaying an alias for each actuated link at the client.
- 4. (Original) A method according to claim 3, wherein the alias is an address of a server adapted to translate the alias to an address of a server hosting a copy of the sub-page.
- 5. (Original) A method according to claim 3 wherein the alias is displayed on a graphical user interface of a program running on the client which is adapted to enable user navigation of the internet.

- 6. (Original) A method according to claim 3 wherein the alias displayed is the same for each of the links actuated.
- 8. (Original) A method according to claim 1 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.
- 9. (Original) A method according to claim 8 wherein the predetermined step is completion of a connection with a secondary server.
- 10. (Currently amended) A method of operating a web server to provide a sub-page of a website to a requesting client, comprising the steps of:

receiving from a client a request for a first web page;

sending to the client, with the first page, a plurality of links each of which points to an address within the Internet of a server hosting a copy of the sub-page, and code which is executable to:

- (a) actuate one of the links;
- (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
- (c) if not, actuating another of the links; and repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;

wherein the links are actuated in a predetermined order established prior to dispatch from the web server.

- 11. (Cancelled).
- 12. (Original) A method according to claim 11 wherein code is additionally sent to the client with the first web page which is operable upon actuation of a link, to cause a browser programme to display an alias of the address of a secondary server to which an actuated link points.

- 13. (Previously presented) A method according to claim 12, wherein the alias is an address of a server adapted to translate the alias to an address of one of the secondary servers.
- 14. (Previously presented) A method according to claim 12 wherein the alias displayed is the same for each of the links actuated.
- 15. (Previously presented) A method according to claim 10 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.
- 16. (Original) A method according to claim 15 wherein the predetermined step is completion of a connection with a secondary server.
- 17. (Original) A method according to claim 11 wherein where the same links are sent to different clients, the predetermined order in which the links are actuated is varied.
- 18. (Original) A method according to claim 11 wherein the plurality of links sent to a first client machine and the plurality of links sent to a second client machine a different at least in respect of one address of a server hosting the sub-page.
- 19. (Original) A method according to claim 18 wherein each link in the plurality of links sent to a first client points to an address of a server which is not replicated in any of the plurality of links sent to a second client.
- 20. (Currently amended) A web server adapted to respond to a request from a client by sending to the client a copy of a first web page and to include with the first web page a plurality of links each of which points to an address within the Internet, each predetermined address being an address of a <u>different</u> secondary server, the web server being adapted to send with the first web page, in response to said request code executable to:
 - (a) actuate one of the links;
 - (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
 - (c) if not, actuating another of the links; and

repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;

wherein the links are actuated in a predetermined order established prior to dispatch from the client.

- 21. (Cancelled).
- 22. (Currently amended) A web page including a <u>plurality plurality</u> of links each of which points to an address within the Internet of a server on which a copy of a sub-page is hosted, the page including code associated therewith which is actuable to:
 - (a) actuate one of the links;
 - (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
 - (c) if not, actuating another of the links; and repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;

wherein the links are actuated in a predetermined order established prior to dispatch from the client.

- 23. (New) A method according to claim 1, wherein the order is random, but predetermined.
- 24. (New) A method according to claim 1, wherein the order is selected.
- 25. (New) A method according to claim 1, wherein each of a plurality of the links to the sub-page is to a different server.
- 26. (New) A method according to claim 10, wherein the order is random, but predetermined.
- 27. (New) A method according to claim 10, wherein the order is selected.

- 28. (New) A method according to claim 10, wherein each of a plurality of the links to the sub-page is to a different server.
- 29. (New) A web server according to claim 20, wherein the order is random, but predetermined.
- 30. (New) A web server according to claim 20, wherein the order is selected.
- 31. (New) A web server according to claim 22, wherein the order is random, but predetermined.
- 32. (New) A web server according to claim 22, wherein the order is selected.
- 33. (New) A web server according to claim 22, wherein each of a plurality of the links to the sub-page is to a different server.